ELSEVIER

Biomembranes

Vol. 1282, 1996

BBA Biochimica et Biophysica Acta

Author index

Alfonzo, M.J., see Pacheco, G. (1282) 182
Andersson, L., see Haneskog, L. (1282) 39
Auger, M., see Bouchard, M. (1282) 233

Bakala, H., see Verbeke, P. (1282) 93
Becker, F.F., see Huang, Y. (1282) 76
Benz, R., see Wiesner, P. (1282) 216
Bhatia, J.S., see Roque, A.S. (1282) 274
Bischof, G., Cosentini, E., Hamilton, G., Riegler, M., Zacherl, J., Teleky, B., Feil, W., Schiessel, R., Machen, T.E. and Wenzl, E.
Effects of extracellular pH on intracellular pH-regulation and growth in a human colon carcinoma cell-line (1282) 131
Bok, D., see Ruiz, A. (1282) 174
Bouchard, M., Boudreau, N. and Auger, M.
Membrane fluidity response to odorants as seen by ^{2}H-NMR and infrared spectroscopy (1282) 233
Boudreau, N., see Bouchard, M. (1282) 233
Boyan, B.D., see Schwartz, Z. (1282) 1
Brekkan, E., see Haneskog, L. (1282) 39
Byus, C.V., see Fukumoto, G.H. (1282) 48

Calvert, D.T., see Millar, I.D. (1282) 200
Catmull, J. and Miller, D.J.
cDNAs from *Onchocerca* sp. encoding members of the MRS3/MRS4 class of mitochondrial solute carriers (1282) 179
Christoforidis, S., Papamarcaki, T. and Tsolas, O.
Human placental ATP diphosphohydrolase is a highly *N*-glycosylated plasma membrane enzyme (1282) 257
Cosentini, E., see Bischof, G. (1282) 131

Dean, D.D., see Schwartz, Z. (1282) 1
Devasagayam, T.P.A., Kamat, J.P., Mohan, H. and Kesavan, P.C.
Caffeine as an antioxidant: inhibition of lipid peroxidation induced by reactive oxygen species (1282) 63
Dudenhausen, E.E., see Handlogten, M.E. (1282) 107

Englund, A.-K., see Haneskog, L. (1282) 39
Epand, R.M., see Kraayenhof, R. (1282) 293
Eriksson, J.W., see Yu, Z.-W. (1282) 57

Feil, W., see Bischof, G. (1282) 131
Fischbarg, J., see Haneskog, L. (1282) 39
Franco, P.J. and Wilson, T.H.
Alteration of Na^{+}-coupled transport in site-directed mutants of the melibiose carrier of *Escherichia coli* (1282) 240
Fujita, T., see Tachikawa, E. (1282) 140
Fukumoto, G.H. and Byus, C.V.
A kinetic characterization of putrescine and spermidine uptake and export in human erythrocytes (1282) 48

Ganapathy, V., see Roque, A.S. (1282) 274
Gascoyne, P.R.C., see Huang, Y. (1282) 76
Gates, P.A., see Schwartz, Z. (1282) 1
Giocondi, M.-C., see Mamdouh, Z. (1282) 171
Gómez de Aranda, I., see Martí, E. (1282) 17
Gonzalez de Alfonzo, R., see Pacheco, G. (1282) 182
Grassl, S.M.
Sulfate transport in human placental brush-border membrane vesicles (1282) 115
Greijer, E., see Haneskog, L. (1282) 39
Greiner, J., see Guillod, F. (1282) 283
Guillod, F., Greiner, J. and Riess, J.G.
Vesicles made of glycophospholipids with homogeneous (two fluorocarbon or two hydrocarbon) or heterogeneous (one fluorocarbon and one hydrocarbon) hydrophobic double chains (1282) 283

Haest, C.W.M., see Serra, M.V. (1282) 263
Hamilton, G., see Bischof, G. (1282) 131
Handlogten, M.E., Dudenhausen, E.E., Yang, W. and Kilberg, M.S.
Association of hepatic system A amino acid transporter with the membrane-cytoskeletal proteins ankyrin and fodrin (1282) 107
Haneskog, L., Andersson, L., Brekkan, E., Englund, A.-K., Kameyama, K., Liljas, L., Greijer, E., Fischbarg, J. and Lundahl, P.
Monomeric human red cell glucose transporter (Glut1) in non-ionic detergent solution and a semi-elliptical torus model for detergent binding to membrane proteins (1282) 39
Harvey, W.R., see Liu, Z. (1282) 25
Harvey, W.R., see Liu, Z. (1282) 32
Hockings, P.D. and Rogers, P.J.
The measurement of transmembrane electrical potential with lipophilic cations (1282) 101
Huang, Y., Wang, X.-B., Becker, F.F. and Gascoyne, P.R.C.
Membrane changes associated with the temperature-sensitive $P85^{gag\text{-}mos}$-dependent transformation of rat kidney cells as determined by dielectrophoresis and electrorotation (1282) 76

Iida, A., see Tachikawa, E. (1282) 140
Imanishi, Y., see Zhao, J. (1282) 249
Itoh, K., see Tachikawa, E. (1282) 140

Jacobsen, C., see Jessen, H. (1282) 225
Jakobs, K.H., see Piacentini, L. (1282) 11
Jessen, H., Røigaard, H. and Jacobsen, C.
Uptake of neutral α- and β-amino acids by human proximal tubular cells (1282) 225
Jørgensen, K., see Sabra, M.C. (1282) 85

Kamat, J.P., see Devasagayam, T.P.A. (1282) 63
Kameyama, K., see Haneskog, L. (1282) 39
Kamp, D., see Serra, M.V. (1282) 263
Kashimoto, T., see Tachikawa, E. (1282) 140
Kayser, H., see Wiesner, P. (1282) 216
Kesavan, P.C., see Devasagayam, T.P.A. (1282) 63
Kilberg, M.S., see Handlogten, M.E. (1282) 107
Kimura, S., see Zhao, J. (1282) 249
Kinev, A.V., see Negulyaev, Yu.A. (1282) 156
Kinne, R.K.H., see Kipp, H. (1282) 124
Kipp, H., Lin, J.-T. and Kinne, R.K.H.
Interactions of alkylglucosides with the renal sodium/D-glucose co-transporter (1282) 124
Kombrabail, M.H., see Prabhananda, B.S. (1282) 193
Kraayenhof, R., Sterk, G.J., Wong Fong Sang, H.W., Krab, K. and Epand, R.M.

Monovalent cations differentially affect membrane surface properties and membrane curvature, as revealed by fluorescent probes and dynamic light scattering (1282) 293
Krab, K., see Kraayenhof, R. (1282) 293
Kristiansen, S., Youn, J. and Richter, E.A.
Effect of vanadate on glucose transporter (GLUT4) intrinsic activity in skeletal muscle plasma membrane giant vesicles (1282) 71

Laprade, R., see Mamdouh, Z. (1282) 171
Le Grimellec, C., see Mamdouh, Z. (1282) 171
Leibach, F.H., see Roque, A.S. (1282) 274
Liljas, L., see Haneskog, L. (1282) 39
Lin, J.-T., see Kipp, H. (1282) 124
Lippo de Bécemberg, I., see Pacheco, G. (1282) 182
Liu, Z. and Harvey, W.R.
Arginine uptake through a novel cationic amino acid:K^+ symporter, System R^+, in brush border membrane vesicles from larval *Manduca sexta* midgut (1282) 25
Liu, Z. and Harvey, W.R.
Cationic lysine uptake by System R^+ and zwitterionic lysine uptake by System B in brush border membrane vesicles from larval *Manduca sexta* midgut (1282) 32
Lomax, M.A., see Millar, I.D. (1282) 200
Lundahl, P., see Haneskog, L. (1282) 39

Machen, T.E., see Bischof, G. (1282) 131
Mamdouh, Z., Giocondi, M.-C., Laprade, R. and Le Grimellec, C.
Temperature dependence of endocytosis in renal epithelial cells in culture (1282) 171
Martí, E., Gómez de Aranda, I. and Solsona, C.
Inhibition of ATP-diphosphohydrolase (apyrase) of *Torpedo* electric organ by 5′-*p*-fluorosulfonylbenzoyladenosine (1282) 17
Mendez, J., see Schwartz, Z. (1282) 1
Millar, I.D., Calvert, D.T., Lomax, M.A. and Shennan, D.B.
The mechanism of L-glutamate transport by lactating rat mammary tissue (1282) 200
Miller, D.J., see Catmull, J. (1282) 179
Mizuma, K., see Tachikawa, E. (1282) 140
Mohan, H., see Devasagayam, T.P.A. (1282) 63
Morgan, E.H., see Stonell, L.M. (1282) 163
Mouritsen, O.G., see Sabra, M.C. (1282) 85
Mura, R., see Piacentini, L. (1282) 11

Nagaoka, Y., see Tachikawa, E. (1282) 140
Nasatzky, E., see Schwartz, Z. (1282) 1
Negulyaev, Yu.A., Vedernikova, E.A., Kinev, A.V. and Voronin, A.P.
Exogenous heat shock protein hsp70 activates potassium channels in U937 cells (1282) 156
Niroomand, F., see Piacentini, L. (1282) 11
Nogimori, K., see Tachikawa, E. (1282) 140

Pacheco, G., Lippo de Bécemberg, I., Gonzalez de Alfonzo, R. and Alfonzo, M.J.
Biochemical characterization of a V-ATPase of tracheal smooth muscle plasma membrane fraction (1282) 182
Papamarcaki, T., see Christoforidis, S. (1282) 257
Perichon, M., see Verbeke, P. (1282) 93
Piacentini, L., Mura, R., Jakobs, K.H. and Niroomand, F.
Stable GDP analog-induced inactivation of G_i proteins promotes cardiac adenylyl cyclase inhibition by guanosine 5′-($\beta\gamma$-imino)triphosphate and muscarinic acetylcholine receptor (1282) 11
Popp, B., see Wiesner, P. (1282) 216
Prabhananda, B.S. and Kombrabail, M.H.
H^+, K^+, and Na^+ transport across phospholipid vesicular membrane by the combined action of proton uncoupler 2,4-dinitrophenol and valinomycin (1282) 193
Prasad, P.D., see Roque, A.S. (1282) 274

Rettinger, J.
Characteristics of Na^+/K^+-ATPase mediated proton current in Na^+- and K^+-free extracellular solutions. Indications for kinetic similarities between H^+/K^+-ATPase and Na^+/K^+-ATPase (1282) 207
Richter, E.A., see Kristiansen, S. (1282) 71
Riegler, M., see Bischof, G. (1282) 131
Riess, J.G., see Guillod, F. (1282) 283
Rogers, P.J., see Hockings, P.D. (1282) 101
Røigaard, H., see Jessen, H. (1282) 225
Roque, A.S., Prasad, P.D., Bhatia, J.S., Leibach, F.H. and Ganapathy, V.
Sodium-dependent high-affinity binding of carnitine to human placental brush border membranes (1282) 274
Rosen, A.D.
Inhibition of calcium channel activation in GH3 cells by static magnetic fields (1282) 149
Ruiz, A. and Bok, D.
Characterization of the 3′ UTR sequence encoded by the AQP-1 gene in human retinal pigment epithelium (1282) 174

Sabra, M.C., Jørgensen, K. and Mouritsen, O.G.
Lindane suppresses the lipid-bilayer permeability in the main transition region (1282) 85
Savigni, D.L., see Stonell, L.M. (1282) 163
Schaeverbeke, J., see Verbeke, P. (1282) 93
Schiessel, R., see Bischof, G. (1282) 131
Schmid, A., see Wiesner, P. (1282) 216
Schwartz, Z., Gates, P.A., Nasatzky, E., Sylvia, V.L., Mendez, J., Dean, D.D. and Boyan, B.D.
Effect of 17β-estradiol on chondrocyte membrane fluidity and phospholipid metabolism is membrane-specific, sex-specific, and cell maturation-dependent (1282) 1
Serra, M.V., Kamp, D. and Haest, C.W.M.
Pathways for flip-flop of mono- and di-anionic phospholipids in the erythrocyte membrane (1282) 263
Shennan, D.B., see Millar, I.D. (1282) 200
Solsona, C., see Martí, E. (1282) 17
Sterk, G.J., see Kraayenhof, R. (1282) 293
Stonell, L.M., Savigni, D.L. and Morgan, E.H.
Iron transport into erythroid cells by the Na^+/Mg^{2+} antiport (1282) 163
Sylvia, V.L., see Schwartz, Z. (1282) 1

Tachikawa, E., Nogimori, K., Takahashi, S., Mizuma, K., Itoh, K., Kashimoto, T., Nagaoka, Y., Iida, A. and Fujita, T.
Pathway for Ca^{2+} influx into cells by trichosporin-B-VIa, an α-aminoisobutyric acid-containing peptide, from the fungus *Trichoderma polysporum* (1282) 140
Takahashi, S., see Tachikawa, E. (1282) 140
Teleky, B., see Bischof, G. (1282) 131
Tsolas, O., see Christoforidis, S. (1282) 257

Vedernikova, E.A., see Negulyaev, Yu.A. (1282) 156
Verbeke, P., Perichon, M., Schaeverbeke, J. and Bakala, H.
Effect of glycation of albumin on its binding to renal brush-border membrane vesicles: influence of aging in rats (1282) 93
Voronin, A.P., see Negulyaev, Yu.A. (1282) 156

Wang, X.-B., see Huang, Y. (1282) 76
Wenzl, E., see Bischof, G. (1282) 131
Wickman, A., see Yu, Z.-W. (1282) 57
Wiesner, P., Popp, B., Schmid, A., Benz, R. and Kayser, H.
Isolation of mitochondrial porin of the fly *Protophormia*: porin modification by the pesticide CGA 140′408 studied in lipid bilayer membranes (1282) 216
Wilson, T.H., see Franco, P.J. (1282) 240
Wong Fong Sang, H.W., see Kraayenhof, R. (1282) 293

Yang, W., see Handlogten, M.E. (1282) 107
Youn, J., see Kristiansen, S. (1282) 71
Yu, Z.-W., Wickman, A. and Eriksson, J.W.
Cryptic receptors for insulin-like growth factor II in the plasma membrane of rat adipocytes – a possible link to cellular insulin resistance (1282) 57
Zacherl, J., see Bischof, G. (1282) 131
Zhao, J., Kimura, S. and Imanishi, Y.
Receptor affinity of neurotensin message segment immobilized on liposome (1282) 249